



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/621,035	07/15/2003	William Paul Mazotti	NSC1P271/P05589	1188
22434	7590	11/16/2006	EXAMINER	
BEYER WEAVER & THOMAS, LLP P.O. BOX 70250 OAKLAND, CA 94612-0250				SONG, SARAH U
ART UNIT:		PAPER NUMBER		
2874				

DATE MAILED: 11/16/2006

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE  
U.S. Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

10/621635

EXAMINER

ART UNIT      PAPER

20061101

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

DECISION ON PETITION UNDER 37 CFR §1.97 FOR CONSIDERATION OF INFORMATION DISCLOSURE STATEMENT

The petition filed October 23, 2006 under 37 CFR §1.97(d) for consideration of an information disclosure statement filed after allowance has been:

GRANTED.

DENIED.

It was filed after payment of the issue fee. See 37 CFR §1.97(d)(2).

It was filed after the patent grant.

The petition lacks:

The required fee under 37 CFR §§1.97(d) and 1.17(i)(1).

A proper certification as specified in 37 CFR §§1.97(d) and 1.97(e).

The information disclosure statement has been placed in the file and  
made of record but will not be considered by the examiner.

IDS CONSIDERED.

The examiner has considered the IDS. See accompanying copy of PTO 1449, or Paper No. \_\_\_\_\_.

3m8

Rodney Bovairick  
Supervisory Patent Examiner  
Technology Center 2800